

Freeport-McMoRan Medical Advisory for Japan

The following immunizations are required for Freeport-McMoRan personnel residing in Japan. Immunizations are not required for short-term business visits.

- Twinrix (Hepatitis A/B combined). The Twinrix vaccine protects against Hepatitis A and Hepatitis B. It is a series of vaccines consisting of 3 doses spaced out over approximately 6 months. The first dose is given on day 0. The second dose is given 1 month after the first dose, and the third dose is given 6 months after the first dose. (Alternatively, an accelerated schedule can be used at days 0, 7 and 21-30 with a 12-month booster.)
- 2. Oral Typhoid (parenteral also an option for those who have difficulty swallowing capsules, are non-compliant or have less than 8 days before travel commences).
- 3. Influenza, when available.
- Meningococcal vaccine. (Menomune for ages > 2 yrs.) (Menactra for ages 2-55)
- 5. TdaP (tetanus, diphtheria, pertussis) booster, if >10 yrs. since last booster.
- 6. eIPV (inactivated polio vaccine booster for those vaccinated in childhood against polio who have never received a booster as an adult).
- 7. Japanese Encephalitis

Immunization boosters are the responsibility of the employee to receive at the recommended schedule.

<u>Traveling out of urban areas, especially from dusk to dawn, care should be taken with clothing</u> and repellants to avoid insect bites.

The following medication should be brought with you during your travel to Japan for travel out of urban areas:

- 1. Imodium A-D
- 2. DEET insect repellant